

PROXXON



Tools with character!



New products 2022



Hands-on tools: In sturdy, powder coated steel case.

PROXXON

INDUSTRIAL

Specialty set of sockets and bit sockets for inch sizes.
36-piece.

2 year
guarantee

For full professional use!

Sockets and drive elements carry
an additional **25 year guarantee**
against faulty material and workmanship.



For imperial screw sizes from 5/32" to 1 1/8".

For 1/4" square drive (6.3mm): 5/32" – 3/16" – 7/32" – 1/4" – 9/32" – 5/16" – 11/32" – 13/32" – 7/16" – 1/2" – 9/16". HX-screwdriver bits 1/8" – 5/32" – 3/16" – 1/4".

For 1/2" square drive (12.5mm): 3/8" – 7/16" – 15/32" – 1/2" – 9/16" – 19/32" – 5/8" – 21/32" – 11/16" – 3/4" – 13/16" – 7/8" – 15/16" – 1" – 1 1/8".

Additional five L-type keys 0,05" – 1/16" – 5/64" – 3/32" – 1/8". 1/4"-Adapter. With distortion-free, indestructible trays of injected POLYPROPYLENE. Oil and acid resistant and easy to clean. With easy-to-read and durable marking of all socket sizes.

NO 23 114

DIN
ISO



Base of sockets made of CrV steel. Bits made of high-alloy special steel for superior wear resistance and torsional rigidity.

Optimum surface protection: Double nickel-plating and single matt-finished chrome-plating.

The compact helper for mobile use. Featuring first class assembly tools.

PROXXON
INDUSTRIAL

Universal tool bag
The most essential hand tools in a functional zipper bag.

2 year guarantee

For full professional use!

KNIPEX

Combination pliers 180mm
Water pump pliers 250mm

FLEX-DOT
screwdrivers

⊖ 3 – 5.5

⊕ 1 – 2

Voltage tester
VDE 0680

Each tool has its proper place: Tool panel pouch and foam inlay made of high-quality materials. All parts are clearly marked.

Standard ratchet 1/4". Sockets 1/4" (6.3mm) 4 – 14mm incl. extension 100mm and 1/4" screwdriver handle. 16 high quality alloy Allen key bits and adapters for male hex and square bits (magnet to socket adapter) and female hex and square bits. Combination spanners from 8 – 17mm.

9-piece pocket key sets HX. Ball-peen hammer (300g) with graphite handle. See photo for full contents.

NO 23 670

1/4"-sockets
4 – 14mm

Extremely compact!
external dimensions: 335 x 295 x 60mm.



9-piece pocket key set
HX 1.5 – 10mm

Ball-peen hammer
300g, with graphite handle

SlimLine
combination spanners
from 8 – 10 – 13 – 17

1/4"-ratchet
screwdriver handle

HX-Bits


⊕ 1 – 2 – 3


⊖ 4 – 5.5 – 6.5

⊙ 3 – 4 – 5 – 6

★ 8 – 10 – 15 – 20 – 25 – 30

DIN
ISO


Thin-wall construction for better access while maintaining strength for heavy work.


Quick release mechanism: releasing sockets at the push of the button.

For tricky work and where space is tight. No bit adapter required!

PROXXON

INDUSTRIAL

**Precision engineer's bit set with MICRO bit ratchet 1/4".
36-piece.**

**2 year
guarantee**

For full professional use!

**DIN
ISO**

9 bits extra-long version
(80mm) for tapped blind holes.

25 special bits in standard length
(25mm).

MICRO-Bit-ratchet
72 teeth. With extremely slim
head (23 x 12mm).




Bits in industrial quality, accurate and wear resistant.
Made of special chrome-molybdenum-silicon-manganese-vanadium
steel alloy. Hardened according to latest production standards.

	25 mm	80 mm
⊛ TTX	8 - 9 - 10 - 15 - 20 25 - 27 - 30 - 40	10 - 15 - 20 - 25 - 30
○ HX	2 - 2.5 - 3 - 4 - 5 - 6 - 8	3 - 4 - 5
⊙ XZN	5 - 6 - 8	
⊕ PH	0 - 1 - 2	1
⊛ PZ	1 - 2	
⊖ SL	3.5	

In addition, magnetic holder for work with electric screwdriver or drill.
All parts are clearly marked. All in sturdy steel box with powder coated
finish.

NO 23 109

**MICRO bit ratchet with 1/4" hexagonal adapter
also available individually.**



With magnetic insert. Distance between reverse lever and
bit end only 30mm. With extremely slim head (23 x 12mm).
Fine-toothing: Many of the 72 teeth engage simultaneously
for transferring extremely high torques. Reverse lever for
ratcheting direction. Release mechanism: unlocking the
sockets at the push of a button. Forged from CrV steel,
double nickel plated with matt chrome plated finish. Grip
of oil- and acid-resistant TPR (Thermoplastic Rubber). Total
length 120mm.

NO 23 158

Two digital torque wrenches now complement the analogue MicroClick torque wrench assortment. Precision tools: tolerance of +/- 1%.



Digital torque wrenches MC 100/E and MC 200/E. With certificate of conformity.

2 year guarantee

For full professional use!

DIN ISO



Real-time operation by app.



Practical release mechanism: the socket is securely fastened, thus automatically released at the push of the button.

Reverse lever for torque-controlled tightening of left- and right-hand threads.



LED indicator as visual signal – measuring unit.

Digital display of preselect torque and measured values.

Function keys to programme and control displayed values.

Bluetooth interface for connection.

Clearly signalled audible and sensorial (vibration) signal.



MicroClick torque wrenches are precision tools. They are packaged in a sturdy and practical plastic storage box.

Ideal for industry and trade: for applications requiring documentation. For torque-controlled tightening of left- and right-hand threads.

Preselection of 10 different torques and measuring tolerances (1 – 9%) is possible. Automatic release: Clearly signalled by visual, audible and sensorial (vibration) signal. Bluetooth interface for connection with smartphone or tablet for documentation of the measured values via app. Piece by piece calibration and final inspection. Including 3 AAA-type batteries for immediate use.

MC 100/E. For 10 – 100Nm.
3/8"-drive (10mm).
NO 23 337

MC 200/E. For 20 – 200Nm.
1/2"-drive (12.5mm).
NO 23 338

PROXXON GmbH
Industriepark Region Trier
Dieselstraße 3 - 7
DE-54343 Föhren
Telefon +49 (0) 65 02 - 93 17 - 0 • Telefax +49 (0) 65 02 - 93 17 - 100
E-Mail: export@proxxon.com • www.proxxon.com